

**THIS CARD IS MAINTAINED TO PROVIDE PROCEDURAL
TEXT ONLY AND IS NOT REPORTED TO ACMS**

CEINUM RA-KB00-016

1 STANDARD ISSUE PERSONAL PROTECTIVE EQUIPMENT (PPE) INSP/ACCPT

REFERENCES:

COMDTINST M10470.10 (series) Rescue and Survival Systems Manual

MPC KB0065.0

MPC KB0145.0

MPC KB0146.0

TOOLS/TEST EQUIPMENT:

NONE

EXPENDABLES:

NONE

CONSUMABLES:

Marker, Tube Type, P/N: 7520-00-973-1059, CAGE: 83421, NIIN: 009731059 (Or equivalent)

A GENERAL INSTRUCTIONS

1. Assign a serial number.

NOTE: The individual serial number is comprised of the first three letters of the member's last name followed by the last four digits of the member's employee identification number, (Example: SN John Smith, EMPLID 1234567, would be SMI4567). In service PPE not individually issued may be assigned a unit generated serial number. Individual serial number for issued standard and cold weather PPE will be the same.

- a. Assign an individual serial number if equipment will be issued to an individual.

Distribution Statement D: Distribution authorized to the DHS/CG/DoD and their contractors Administrative/Operational use, 06/04/18. Other requests shall be referred to the appropriate asset product line.

WARNING: This document contains technical data whose export is restricted by the Arms Export-Control Act (Title 22, U.S.C., Sec 2751, et. seq.) or the Export Administration Act of 1979, as amended, Title 50, U.S.C. App 2401 et. seq. Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25.

DESTRUCTION NOTICE: For classified documents, follow the procedures in DoD 5200.22-M, National Industrial Security Program Operating Manual, Section 5-705 or DoD 5200.1-R, Information Security Program Regulation, Chapter VI, Section 7. For unclassified, limited documents, destroy by any method that will prevent disclosure of contents or reconstruction of the document.



NOTE: A ready service locker is a stockpile of shared gear and equipment that can be used by scheduled mission personnel during each mission-may be used to store returnable items that can be checked out by personnel who do not frequently wear the items, such as sector boarding team, inspections personnel, etc. All gear placed in service that is maintained in the ready service locker shall be labeled with a unit-generated serial number.

2. Use the following guidelines for member transfers:
 - a. Members transferring to another unit which utilizes standard issue PPE.
 - (1) Departing unit.
 - (a) Review member's AF-538 with the member present to verify accuracy.
 - (b) Unit remove all issued gear from service.
 - 1) Document in the standard issue PPE maintenance record.
 - (c) Complete form DD-1149 requisition and invoice/shipping document.

NOTE: Standard and cold weather PPE may be shipped together.
 - (d) Unit ships, via trackable means, the following items to the new unit:
 - 1) All PPE.
 - 2) Member's AF-538.
 - 3) Appropriate copy of DD-1149 invoice.
 - 4) Standard issue PPE maintenance record.
 - (2) Receiving unit.
 - (a) Review the member's AF-538 with the member present to verify accuracy.
 - (b) Re-issue PPE to member on a new unit-generated form AF-538, noting any new equipment on the member's form AF-538.
 - (c) Complete Steps [1 B 1.](#) through [1 B 10.](#) for acceptance inspection noting any new equipment on the members AF-538.
 - b. Members transferring to a unit which does not utilize standard issue PPE.
 - (1) Issuing unit reclaim all returnable PPE items for re-issue, (Refer to [COMDTINST M10470.10](#) (series)).



B ACCEPTANCE INSPECTION

NOTE: All PPE items must be issued to properly fit the member.

NOTE: If standard sized equipment does not provide the proper fit and the manufacturer is unable to provide special sizing to meet personnel needs, units are authorized to purchase an alternative item that most closely meets the required salient characteristics, (Refer to [COMDTINST M10470.10](#) (series)). Units shall make the following notation in the remarks section of the AF-538: "Due to sizing limitations, an alternative item(s) has been issued in lieu of the Item required by the RSSM".

NOTE: Perform acceptance inspection upon initial issue, when a member transfers in from another unit, or when fitting members who will be using ready service locker equipment.

NOTE: Once an item is issued, it shall only be taken out of service for maintenance, repair, or unserviceable condition. Issued items shall not be removed from service for the purpose of seasonal storage. If an item is issued to a member and is taken out of service and sent to a repair facility for maintenance or repair, a replacement item needs to be issued if the season dictates the need for it.

NOTE: Anti-exposure coveralls are not required to be issued at units assigned to Sectors Guam, Honolulu, Key West, Miami, and San Juan.

NOTE: Anti-exposure coveralls are not required to be issued if the member has been issued an authorized Maritime Cold Weather Suit System (MCWSS) or industrial dry suit.

1. Issue required standard PPE items to member, (Refer to [Table 1](#) and [Table 2](#)).
2. Verify completion of anti-exposure coveralls insp/accept, (Refer to MPC [KB0145.0](#)).
3. Verify completion of type III PFD insp/accept, if individually issued, (Refer to MPC [KB0065.0](#)).
4. Complete Steps [3 B](#) through [3 G](#) to inspect all remaining issued PPE.

NOTE: Gentex SOHAH helmets require custom fitting to the member.

5. Fit Gentex SOHAH helmet to member, if issued, (Refer to [Figure 1](#)).
 - a. Have member don helmet.
 - b. Fasten nape, chin, and buckle straps until snug.
 - c. Ensure the ends of the chin strap are attached to the pile fastener on the chin cup once adjusted.

WARNING

FOR IMPACT PROTECTION AND HELMET STABILITY, YOU MUST KEEP ALL PINK FOAM PADS INSIDE THE SIZING PADS AND ALL SIZING PADS PROPERLY INSTALLED IN THE HELMET WHEN THE HELMET IS WORN. REMOVE THE WHITE FOAM PADS ONLY WHERE NECESSARY TO ADJUST THE FIT.

- d. Allow the helmet to settle on the head for a few minutes to allow the temperature sensitive pads to conform to the shape of the wearer's head.



- e. Check the helmet on the wearer's head for the following:
 - (1) The front sizing pads should be just above the wearer's eyebrows.
 - (a) Remove one to two white foam pads from each of the crown pads, (If required).
 - (2) The crown pad cover openings face the inside of the helmet.
 - f. Check helmet spacing around the wearer's head.
 - (1) Verify there is approximately 1/2 inch of space between the wearer's head and the helmet all the way around.
 - (a) Remove one to two white foam pads from each rear pad cover, (If required).
 - g. Check member comfort level.
 - (1) Remove one to two white foam pads from each front pad cover, (If required).
 - h. Recheck helmet fit.

NOTE: CEAN XT4 helmet is one size fits all.
6. Verify member fit for CEAN XT4 helmet, if issued, (Refer to [Figure 2](#)).
- NOTE: New CEAN XT4 helmets purchased prior to June 2016 have inadequate inner liner adhesive. These helmets must have adhesive applied to the liner prior to use.*
- a. Apply adhesive to helmet, (Refer to MPC [KB0146.0](#)), (If required).
7. Place serial number marking on the following equipment using permanent marker, P/N: 7520-00-973-1059:
- NOTE: Individual serial number may be marked on either the inside or the outside of the zipper cover.*
- a. Gear bag on zipper cover.
 - b. Anti-exposure coveralls, if issued, under the entry zipper cover near the top.

NOTE: The use of label tape is authorized for labeling boat crew helmet.
 - c. Boat crew helmet.
8. Record issuer and member document issuance or replacements on members form AF-538.

NOTE: PPE maintenance record form is available at [CG Portal](#).
9. Document maintenance in the standard issue PPE maintenance record.
10. Document any discrepancies in the standard issue PPE maintenance record.



2 SEMI-ANNUAL STANDARD ISSUE PPE INSP/CLN

REFERENCES:

MPC [KB0065.0](#)

MPC [KB0145.0](#)

MPC [KB0146.0](#)

TOOLS/TEST EQUIPMENT:

NONE

EXPENDABLES:

NONE

CONSUMABLES:

Fastener Tape, Pile, 2 inch, P/N: MIL-F-21840, CAGE: 81349, NIIN: 010331735 (Or equivalent) (If required)

Marker, Tube Type, P/N: 7520-00-973-1059, CAGE: 83421, NIIN: 009731059 (Or equivalent) (If required)

Reflective Tape, Self Adhesive, 1 inch SOLAS, P/N: 276, CAGE: 64249, NIIN: N/A (If required)

Standard Issue PPE (Refer to [Table 2](#)) (If required)

A INSP/CLN PERSONAL FLOTATION DEVICE (PFD)

NOTE: Ready service locker equipment shall be inventoried on a unit generated inventory log sheet.

NOTE: Anti-exposure coveralls are not required to be issued at units assigned to Sectors Guam, Honolulu, Key West, Miami, and San Juan.

NOTE: Anti-exposure coveralls are not required to be issued if the member has been issued an authorized MCWSS or industrial dry suit.

NOTE: Once an item is issued, it shall only be taken out of service for maintenance, repair, or unserviceable condition. If an item is issued to a member and is taken out of service and sent to a repair facility for maintenance or repair, a replacement item needs to be issued if the season dictates the need for it.

NOTE: Issued items shall not be removed from service for the purpose of seasonal storage.

NOTE: Port Security Units (PSU) are authorized to wear subdued colored anti-exposure coveralls.

1. Perform anti-exposure coverall semi-annual insp/cln, (Refer to MPC [KB0145.0](#)).
 - a. Restore individual serial number marking under the entry zipper cover near the top, if faded or unreadable, using permanent marker, P/N: 7520-00-973-1059.
2. Perform type III PFD semi-annual insp/cln, if individually issued, (Refer to MPC [KB0065.0](#)).



B INSPECT BOAT CREW HELMET

1. Inspect helmet shell for cracks, holes, warping, or de-lamination.
 - a. Replace boat crew helmet if any of the above are noted, (Refer to [Table 2](#)).
2. Inspect helmet retention/chin strap assembly for the following:
 - a. Cuts, frays, or wear.
 - b. Operable fasteners.
 - c. Loose or missing fastening hardware.

NOTE: There is no torque value required, do not over tighten.

- (1) Tighten fastening hardware, (Gentex helmets), (If required).

NOTE: Steps [2 B 3](#). through [2 B 3.b](#). apply to the CEAN XT4 helmet.

3. Inspect inner liner for adhesion to the shell (CEAN XT4 helmet).
 - a. Attempt to wiggle the liner.
 - b. Repair liner if any movement is noted, (Comply with MPC [KB0146.0](#)).
4. Replace worn or damaged helmet retention components, (Refer to [Table 2](#)), (If required).

NOTE: Steps [2 B 4.a](#). through [2 B 4.c.\(1\)](#) are not applicable to boat crew safety helmets (hardhats) used by ATON units.

- a. Check sizing/comfort pads for tears, wear, or missing pads.

NOTE: For Gentex SOHAH helmet, notate the number of white pads in use prior to removal. Install replacement pads in the same manner as they were removed.

- (1) Replace sizing/comfort pads if damaged, worn, or missing, (Refer to [Table 2](#)).

- b. Check reflective tape (non-ballistic helmet types).

- (1) Replace missing or worn tape using 1 inch reflective tape, P/N: 276.

- c. Check installed pile fastener tape (non-ballistic helmet types).

NOTE: Pile tape sections for CEAN XT4 are available cut to fit for the helmet. Refer to [Table 2](#) for helmet replacement parts.

- (1) Replace with a 2 x 3 inch section of pile fastener tape, P/N: MIL-F-21840, if worn or missing.

5. Restore helmet serial number marking, if faded or unreadable.

C DOCUMENTATION

NOTE: PPE maintenance record form is available at [CG Portal](#).

1. Record issuer and member document issuance or replacements on members form AF-538.
2. Document maintenance in the standard issue PPE maintenance record.
3. Document ready service locker inventory inspection on ready service locker inventory log.
4. Ensure HAZMAT created or used during the MPC is properly stored, segregated, or disposed of IAW all applicable local, state, and federal regulations prior to completion of this procedure.
5. Document any discrepancies in the standard issue PPE maintenance record.



3 ANNUAL STANDARD ISSUE PPE INSPECT

REFERENCES:
NONE

TOOLS/TEST EQUIPMENT:
Sharpener, Knife, Hunting, P/N: REPRO400, CAGE: 3GZU3, NIIN: 015147779 (Or equivalent)

EXPENDABLES:
NONE

CONSUMABLES:
Fastener Tape, Pile, 2 inch, P/N: MIL-F-21840, CAGE: 81349, NIIN: 010331735 (Or equivalent) (If required)
Marker, Tube Type, P/N: 7520-00-973-1059, CAGE: 83421, NIIN: 009731059 (Or equivalent) (If required)
Seam Sealer and Outdoor Repair, Seam Grip, P/N: 630, CAGE: 64249, NIIN: N/A (If required)
Standard Issue PPE (Refer to [Table 2](#)) (If required)

A INSP/CLN

WARNING

VARIOUS STEPS IN THIS PROCEDURE EMPLOY ITEMS ON THE HAZARDOUS MATERIALS LIST. BEFORE EXECUTING THIS MPC, REFER TO THE APPLICABLE MSDS/SDS FOR FULL SAFETY AND HANDLING PROCEDURES.

1. Perform Steps [2 A 1.](#) through [2 C 5.](#) to complete semi-annual insp/cln.

B INVENTORY

NOTE: Once an item is issued, it shall only be taken out of service for maintenance, repair, or unserviceable condition. If an item is issued to a member and is taken out of service and sent to a repair facility for maintenance or repair, a replacement item needs to be issued if the season dictates the need for it.

NOTE: Issued items shall not be removed from service for the purpose of seasonal storage.

1. Inventory issued standard PPE items as listed on member's AF-538 form, personal clothing and equipment record, (Refer to [Table 1](#)).
 - a. Issue replacements for any missing items, (Refer to [Table 2](#)), (If required).

C INSPECT GEAR BAG

1. Inspect gear bag for the following:
 - a. Cuts or tears.
 - b. Holes.
 - c. Functional zipper.
2. Replace gear bag, (Refer to [Table 2](#)), (If required).



NOTE: Serial number may be marked on either the inside or the outside of the zipper cover.

3. Restore gear bag serial number marking if faded or unreadable using permanent marker, P/N: 7520-00-973-1059.

D INSPECT RAIN GEAR (IF ISSUED)

1. Inspect rain gear for the following:
 - a. Large tears or holes.
 - b. Inoperable fasteners.
 - c. Unserviceable reflective tape.

WARNING

AVOID EYE CONTACT, INHALATION, AND PROLONGED SKIN CONTACT WITH ADHESIVE. AVOID INGESTION. KEEP AWAY FROM ALL SOURCES OF IGNITION. WASH EXPOSED SKIN THOROUGHLY AFTER HANDLING. FAILURE TO COMPLY MAY RESULT IN PERSONAL INJURY.

2. Repair small tears or holes, using seam sealer, P/N: 630.
 - a. Apply seam sealer to cover the tear or hole plus an additional 1/4 inch beyond.
 - b. Allow the repair to cure for at least 10 hours.

NOTE: Check sizing and availability at the [LSC website](#).

3. Replace rain gear, (Refer to [Table 2](#)), (If required).

E INSPECT INTERMEDIATE GLOVES

1. Inspect intermediate gloves for the following:
 - a. Rips or holes.
 - b. Seam separation.
2. Replace intermediate gloves, (Refer to [Table 2](#)), (If required).

F INSPECT BOAT CREW GOGGLES

1. Inspect boat crew goggles for the following:
 - a. Check for cracked or scratched goggle lens.
 - (1) Replace lens if cracked or if scratched inhibiting vision, (Refer to [Table 2](#)).
 - b. Check goggle strap for serviceability.
 - (1) Replace goggles if no replacement strap is listed.
 - (2) Replace goggle strap if cut, frayed, or if it does not have elasticity, (Refer to [Table 2](#)).

G INSPECT SUNGLASSES

1. Inspect sunglasses for cracks or scratches.
 - a. Replace sunglasses if cracked, broken, or scratched inhibiting visibility, (Refer to [Table 2](#)).



H INSPECT TEMPERATE/WET WEATHER BOOTS

NOTE: Check sizing and availability at [UDC website](#) (primary) or [Belleville website](#) (alternate).

1. Inspect the boot upper for tears or seam separation.
 - a. Replace temperate/wet weather boots if boot upper is torn or separated, (Refer to [Table 2](#)).
2. Inspect boot soles for wear.

NOTE: Issue new temperate/wet weather boots if the sole is worn beyond the tread depth on the walking surface of the boot tread, feeling for any smooth areas. If any area or combination of areas on the walking surface larger than 4 square inches (2 x 2 inch) are worn, or if any other condition exists which compromises the protection which the boots are designed to provide the boot shall be removed from service and replaced.

- a. Remove temperate/wet weather boots from service, (If required).

I INSPECT BOAT CREW KNIFE

1. Inspect boat crew knife.
 - a. Replace boat crew knife if cracked or broken, (Refer to [Table 2](#)).
 - b. Sharpen knife blade using knife sharpener.

J INSPECT BOAT SHOES (IF ISSUED)

1. Inspect boat shoes, if issued.

NOTE: Check sizing and availability at the [UDC website](#).

- a. Replace boat shoes if torn, ripped, or if soles are worn beyond tread depth, (Refer to [Table 2](#)).

K DOCUMENTATION

1. Record inspector and member document inventory/inspection on page two of member's form AF-538.
2. Record issuer and member document issuance or replacements on member's form AF-538.

NOTE: Utilize remarks section to identify what was inventoried, i.e., cold weather gear, ice rescue, etc.

3. Record unit AOPS administrator document annual PPE inventory in TMT.

NOTE: PPE maintenance record form is available at [CG Portal](#).

4. Document annual inspection in the standard issue PPE maintenance record.
5. Document ready service locker inventory inspection on ready service locker inventory log.
6. Document any discrepancies.



Item	Required Qty
Gear Bag	1 ea
Anti-Exposure Coveralls (Not required at Sectors Guam, Honolulu, Key West, Miami, or San Juan units) (Not required if member has been issued an authorized MCWSS or Industrial Dry Suit)	1 ea
Temperate/Wet Weather Boots	1 pr
Intermediate Gloves	1 pr
Boat Crew Goggles	1 ea
Boat Crew Helmet	1 ea
Boat Crew Knife (Optional at unit level)	1 ea
Rain Gear (Optional at member's request)	1 se
Sunglasses	1 pr
Boat Shoes (Optional)	1 pr
Type III PFD (Optional)	1 ea

STANDARD ISSUE PPE
Table 1



Gear Bag			
Kit Bag, Flyers	P/N: 8460-00-606-8366	CAGE: 83421	NIIN: 006068366 (Or equivalent)
Anti-Exposure Coveralls (Refer to MPC KB0145.0)			
Boat Crew Helmet			
Gentex SOHAH Ballistic, Blue/Small	P/N: 04D11865-11J	CAGE: 97427	NIIN: N/A
Gentex SOHAH Ballistic, Blue/Med/Large	P/N: 04D11865-8J	CAGE: 97427	NIIN: N/A
Gentex SOHAH NON-Ballistic, Int. Orange/Small	P/N: 04D11865-4K	CAGE: 97427	NIIN: N/A
Gentex SOHAH NON-Ballistic, Int. Orange/Med/Large	P/N: 04D11865-1K	CAGE: 97427	NIIN: N/A
CEAN XT4, Orange	P/N: USCG-CH-XT4	CAGE: 6CLS8	NIIN: N/A
Safety Helmet, White (AtoN Units)	P/N: ISEA/ANSI Z89.1	CAGE: 80204	NIIN: 009353139 (Or equivalent)
Safety Helmet, Yellow (AtoN Units)	P/N: ISEA/ANSI Z89.1	CAGE: 80204	NIIN: 009353140 (Or equivalent)
Safety Helmet, Blue (AtoN Units)	P/N: ISEA/ANSI Z89.1	CAGE: 80204	NIIN: 009353132 (Or equivalent)
Safety Helmet, Green (AtoN Units)	P/N: ISEA/ANSI Z89.1	CAGE: 80204	NIIN: 009353134 (Or equivalent)
Chin Strap (Safety Helmets)	P/N: ES-42	CAGE: 09729	NIIN: 010168034 (Or equivalent)
Below helmets are authorized for use by Heavy Weather/Surf Stations and National Motor Lifeboat School until replacement helmets are identified			
Pro-Tec Alpha (Orange/Red)	P/N: 4811931RMIL	CAGE: Various	NIIN: N/A
Pro-Tec Ace (Orange/Red)	P/N: B000EYS798	CAGE: Various	NIIN: N/A
Helmet, Crash	P/N: 458	CAGE: 64249	NIIN: 015593400
Helmet Replacement Parts			
Gentex SOHAH Helmet Retention Assembly	P/N: 04D11861-1	CAGE: 97427	NIIN: N/A
Gentex SOHAH Helmet Sizing Pad Set	P/N: 04D11860-10	CAGE: 97427	NIIN: N/A
CEAN XT4 Helmet Chin Strap Assembly Set	P/N: USCG-CS-2BS	CAGE: 6CLS8	NIIN: N/A
CEAN XT4 Helmet Ear Pad Set	P/N: USCG-EP-2BG	CAGE: 6CLS8	NIIN: N/A
CEAN XT4 Helmet Goggle Strap Retainer	P/N: USCG-GR-1BS	CAGE: 6CLS8	NIIN: N/A
CEAN XT4 Helmet Head Adjustment (Run)	P/N: USCG-HA-1HS	CAGE: 6CLS8	NIIN: N/A
CEAN XT4 Helmet Internal Comfort Padding	P/N: USCG-IP-3CC	CAGE: 6CLS8	NIIN: N/A
CEAN XT4 Helmet Loop Patch, Exterior	P/N: USCG-EL-2HL	CAGE: 6CLS8	NIIN: N/A

STANDARD ISSUE PPE LIST

**Table 2
(Sheet 1 of 4)**



U.S. COAST GUARD
COMPUTERIZED MAINTENANCE SYSTEM

RESCUE AND ASSISTANCE
KB0026.0
REV'D 06/04/18

Rain Gear			
Raintec, Tri-laminate (S-XXL)	P/N: 610-CG	CAGE: 64249	NIIN: N/A (Or equivalent)
SAR Life Foul Weather Jacket & Pant (S-XXL)	P/N: 25100-CG	CAGE: 756R8	NIIN: N/A (Or equivalent)
SAR Life Foul Weather Jacket (S-XXL)	P/N: 25100-JCG	CAGE: 756R8	NIIN: N/A (Or equivalent)
SAR Life Foul Weather Pant (S-XXL)	P/N: 25100-P	CAGE: 756R8	NIIN: N/A (Or equivalent)
Gloves, Intermediate			
Gill Championship, Long Finger, Men's XS-XXL	P/N: 7250	CAGE: KC631	NIIN: N/A (Or equivalent)
Gill Championship, Long Finger, Women's S-L	P/N: 7260	CAGE: KC631	NIIN: N/A (Or equivalent)
Gill Championship, Short Finger, XS-XXL	P/N: 7240	CAGE: KC631	NIIN: N/A (Or equivalent)
Gill Deckhand Gloves, Long Finger, XS-XL	P/N: 7050	CAGE: KC631	NIIN: N/A (Or equivalent)
Gill Deckhand, Short Finger XS-XL	P/N: 7040	CAGE: KC631	NIIN: N/A (Or equivalent)
Gill Championship, Long Finger, Women's S-L	P/N: 7260	CAGE: KC631	NIIN: N/A (Or equivalent)
Gill Deckhand Gloves, Long Finger, XS-XL	P/N: 7050	CAGE: KC631	NIIN: N/A (Or equivalent)
Outdoor Research Gripper Gloves, Full Finger, Men's S-XL	P/N: 70222	CAGE: 096Y0	NIIN: N/A (Or equivalent)
Outdoor Research Gripper Gloves, Full Finger, Women's S-L	P/N: 70217	CAGE: U0692	NIIN: N/A (Or equivalent)
Boat Crew Ballistic Goggles ***			
Goggles, Industrial (ESS Profile)	P/N: EP01BK-TSB	CAGE: 1NG39	NIIN: 015046222
Goggles, Industrial (Revision Desert Locust Black)	P/N: 4-0309-9500	CAGE: 30VZ5	NIIN: 015476227
***Units not requiring a ballistic goggle may continue to utilize legacy non-ballistic goggles (Scott) until they become unserviceable; all new procurements will be in accordance with Table 2.			
Goggle Replacement Parts			
ESS Profile, Clear	P/N: 740-0113	CAGE: 1NG39	NIIN: N/A
ESS Profile, Smoke	P/N: 740-0119	CAGE: 1NG39	NIIN: N/A
Strap, ESS Profile	P/N: EP4-A	CAGE: 3GG46	NIIN: N/A
Lens, Goggles, Industrial (Revision Desert Locust, Clear)	P/N: 4-0331-9100	CAGE: 30VZ5	NIIN: 015476568
Lens, Goggles, Industrial (Revision Desert Locust, Smoke)	P/N: 4-0331-9200	CAGE: 30VZ5	NIIN: 015476567
Ballistic Goggle Prescription Insert	P/N: U-Rx	CAGE: 1NG39	NIIN: N/A (Or equivalent)
Sunglasses			
Spectacle Kit, Interchangeable Component (ESS Ice)	P/N: ESSICE-2	CAGE: 1NG39	NIIN: 015255085 (Or equivalent)
Spectacle Kit, Eye Safety System (ESS Ice 2N)	P/N: ESSICE-2N	CAGE: 1NG39	NIIN: 015376143 (Or equivalent)
Spectacle, Combo Pack, (UVEX XC)	P/N: S99-S3399-MIL3A	CAGE: 39SU9	NIIN: 015165361 (Or equivalent)
Spectacle, Combo Pack, (UVEX Genesis)	P/N: S99-S3291-MIL	CAGE: 39SU9	NIIN: 015524131 (Or equivalent)
Safety Glasses, (Revision Sawfly Eyewear)	P/N: 4-0076-9800	CAGE: 30VZ5	NIIN: 015274051 (Or equivalent)
Spectacles, Industrial (Wiley X PT 1)	P/N: PT-1SC	CAGE: 0S7V7	NIIN: 015107853 (Or equivalent)

STANDARD ISSUE PPE LIST

**Table 2
(Sheet 2 of 4)**



DESTRUCTION NOTICE - Destroy by any method that will prevent disclosure of contents or reconstruction of the document.

Sunglasses (continued)			
Revision Shadowstrike Ballistic Sunglass Deluxe Yellow High Contrast (Black)	P/N: 4-0750-0203	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Deluxe Yellow High Contrast (Tan499)	P/N: 4-0750-0204	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Deluxe Yellow High Contrast (Gray)	P/N: 4-0750-0206	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Deluxe Vermillion High Contrast (Black)	P/N: 4-0750-0209	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Deluxe Vermillion High Contrast (Tan499)	P/N: 4-0750-0210	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Deluxe Vermillion High Contrast (Gray)	P/N: 4-0750-0212	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Military (Black)	P/N: 4-0750-0103	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Military (Tan499)	P/N: 4-0750-0104	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Military (Gray)	P/N: 4-0750-0106	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Basic (Black)	P/N: 4-0750-0003	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Military (Tan499)	P/N: 4-0750-0004	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Military (Gray)	P/N: 4-0750-0007	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Basic Polarized (Black)	P/N: 4-0750-0008	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Basic Polarized (Tan499)	P/N: 4-0750-0010	CAGE: 30V25	NIIN: N/A (Or equivalent)
Revision Shadowstrike Ballistic Sunglass Basic Polarized (Gray)	P/N: 4-0750-0012	CAGE: 30V25	NIIN: N/A (Or equivalent)
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Clear)	P/N: 4-0750-0302	CAGE: 30V25	NIIN: N/A (Or equivalent)
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Smoke)	P/N: 4-0750-0304	CAGE: 30V25	NIIN: N/A (Or equivalent)
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Yellow)	P/N: 4-0750-0306	CAGE: 30V25	NIIN: N/A (Or equivalent)
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Vermillion)	P/N: 4-0750-0316	CAGE: 30V25	NIIN: N/A (Or equivalent)
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Photochromic)	P/N: 4-0750-0308	CAGE: 30V25	NIIN: N/A (Or equivalent)

STANDARD ISSUE PPE LIST

**Table 2
(Sheet 3 of 4)**




DESTRUCTION NOTICE - Destroy by any method that will prevent disclosure of contents or reconstruction of the document.

Sunglasses (continued)			
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Polarized)	P/N: 4-0750-0310	CAGE: 30V25	NIIN: N/A (Or equivalent)
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Midnight Mirror)	P/N: 4-0750-0312	CAGE: 30V25	NIIN: N/A (Or equivalent)
Replacement Lens – Revision Shadowstrike Ballistic Sunglasses (Silver Mirror)	P/N: 4-0750-0314	CAGE: 30V25	NIIN: N/A (Or equivalent)
Boots, Temperate, Wet Weather			
Primary-Boots, Safety (Composite Toe)	P/N: BM/BF (Size)	CAGE: CG UDC	NIIN: N/A
Alternate-Belleville	P/N: 800ST	CAGE: 00P07	NIIN: N/A
Boat Crew Knife (Blade length not to exceed 4 inches)			
Benchmade	P/N: 550S	CAGE: 041N2	NIIN: 014510707 (Or equivalent)
Spyderco	P/N: C10SBK	CAGE: 0ZKZ2	NIIN: 014326186 (Or equivalent)
Boat Shoes (Optional)			
Shoes, Boat	P/N: BSM/BSF (Size)	CAGE: CG UDC	NIIN: N/A

STANDARD ISSUE PPE LIST

**Table 2
(Sheet 4 of 4)**






GENTEX BOAT CREW SOHAH HELMET

Figure 1





CEAN XT4 BOAT CREW HELMET

Figure 2

